




Annual Report 2000

HIV/STD Epidemiology Division Surveillance Branch

Texas HIV/STD Surveillance Report



Chlamydia Cases by County of Residence

Cases entered into STD*MIS 1/1/2000 - 12/31/2000

The *Texas HIV/STD Surveillance Report* is a quarterly publication generated by the Surveillance Branch of the Texas Department of Health HIV/STD Epidemiology Division.

This report describes cases reported to the Texas Department of Health's central office Surveillance Program through June 30, 2000.

Texas Department of Health
1100 W. 49th Street
Austin, Texas 78756

HIV/STD Surveillance Branch
(512)490-2560

Bureau of HIV and STD Prevention
(512)490-2500

HIV/STD Epidemiology Division
(512)490-2545

HIV/STD Health Resources Division
(512)490-2515

TABLE OF CONTENTS

Table of contents	<i>i</i>
Reference: Terms and Resource.....	<i>ii</i>
Spotlight.....	<i>iii-v</i>
Reference: Public Health Regions in Texas	<i>vi</i>
HIV & AIDS Residence Data	1
HIV & AIDS Cases Cumulative and Year to Date by County.....	2-3
HIV Data Summary	4
AIDS Data Summary	5
HIV/AIDS Mode of Exposure	6-7
HIV/AIDS Race/Ethnicity	8-9
Chlamydia and Gonorrhea Residence Data	10
Chlamydia and Gonorrhea by Race/Ethnicity	11
Syphilis Residence Data.....	12
Syphilis Cases by Race/Ethnicity and Sex	13
Pelvic Inflammatory Disease and Chacroid Residence Data.....	14
Texas Chlamydia Cases.....	15
Texas Gonorrhea Cases.....	16
Texas Syphilis Cases	17
Chlamydia and Gonorrhea Cases and Rates by County	18-19
Syphilis Cases and Rates by County.....	20-21

Reference: Terms and Resources

Definitions:

AIDS and HIV infection, Chancroid, *Chlamydia trachomatis* infection, gonorrhea, and syphilis are defined by the Centers for Disease Control and Prevention of the United States Public Health Service. The publication designating the most current definition may be requested from:

*Texas Department of Health
HIV/STD Epidemiology Division
1100 West 49th Street
Austin, Texas 78756*

Reporting Rules:

The rules and regulations for reporting sexually transmitted diseases are adapted from the Texas Administrative Code, Chapter 97. The provisions for this chapter are issued under the Communicable Disease Prevention and Control Act, Health and Safety Code, Chapter 81, which provides the Board of Health with the authority to adopt rules concerning the reporting of communicable diseases; and §12.001, which provides the Texas Board of Health with the authority to adopt rules for the performance of every duty imposed by law on the Texas Board of Health, the Texas Department of Health, and the Commissioner of Health. A copy of the rules can be obtained from the Texas Department of Health at the address above, or from the World Wide Web at:

<http://www.tdh.state.tx.us/ideas/report/report.htm>

Additional copies of the *Texas HIV/STD Surveillance Report* can be obtained by calling the HIV/STD Surveillance Branch at (512)490-2560, or from the World Wide Web at:

<http://www.tdh.state.tx.us/hivstd/stats/default.htm>

Information on how to report can be obtained by calling your local or regional health department, or by calling **1-800-705-8868**.

Spotlight

What is Chlamydia?

Chlamydia is a sexually transmitted disease (STD) that is caused by the bacterium *Chlamydia trachomatis*. Because approximately 75% of women and 50% of men have no symptoms, most people infected with chlamydia are not aware of their infections and therefore may not seek health care. When diagnosed, chlamydia can be easily treated and cured. Untreated, chlamydia can cause severe, costly reproductive and other health problems that include both short- and long-term consequences, including pelvic inflammatory disease (PID), which is the critical link to infertility, and potentially fatal tubal pregnancy.

Up to 40% of women with untreated chlamydia will develop PID. Undiagnosed PID caused by chlamydia is common. Of those with PID, 20% will become infertile; 18% will experience debilitating, chronic pelvic pain; and 9% will have a life-threatening tubal pregnancy. Tubal pregnancy is the leading cause of first-trimester, pregnancy-related deaths in American women. Chlamydia may also result in adverse outcomes of pregnancy, including neonatal conjunctivitis and pneumonia. In addition, recent research has shown that women infected with chlamydia have a 3 - 5 fold increased risk of acquiring HIV, if exposed.

Chlamydia is also common among young men, who are seldom offered screening. Untreated chlamydia in men typically causes urethral infection, but may also result in complications such as swollen and tender testicles.

What is the magnitude of the problem?

Chlamydia is the most frequently reported infectious disease in the United States. Though 526,653 cases were reported in 1997, an estimated 3 million cases occur annually. Severe under reporting is largely a result of substantial numbers of asymptomatic persons whose infections are not identified because screening is not available.

From 1984 through 1997, reported rates of chlamydia increased from 3.2 to 207.0 cases per 100,000 population. This trend primarily reflects increased screening, recognition of asymptomatic infection (mainly in women), and improved reporting capacity rather than a true increase in disease incidence.

In 1997, the reported rate of chlamydia for women (335.8) substantially exceeded the rate for men (70.4), due mainly to increased detection of asymptomatic infection in women through screening. Low rates of reported chlamydia among men suggest that many of the partners of women with chlamydia are not screened or treated.

As in previous years, 1997 rates of chlamydia were highest in the West and the Midwest, where substantial resources have been committed for organized screening programs.

How are adolescents and young women affected?

As many as 1 in 10 adolescent girls tested for chlamydia is infected. Based on reports to CDC provided by states that collect age-specific data, teenage girls have the highest rates of chlamydia infection. In these states, 15- to 19-year-old girls represent 46% of infections and 20- to 24-year-old women represent another 33%. These high percentages are consistent with high rates of other STDs among teenagers.

What does chlamydia cost?

The annual cost of chlamydia and its consequences in the United States is more than \$2 billion. The CDC estimates screening and treatment programs can be conducted at an annual cost of \$175 million. Every dollar spent on screening and treatment saves \$12 in complications that result from untreated chlamydia.

What is being done to address the problem?

In 1993, Congress appropriated funds to begin a national STD-related infertility prevention program. Through a cooperative effort between CDC and the Office of Population Affairs, the program involves strong collaboration among family planning, STD and primary health care programs, and public health laboratories. Significant progress has been made where screening programs have been fully implemented.

Since these programs have focused on prevention efforts in women, many men with chlamydia are not diagnosed and treated, thus continuing the cycle of infection. CDC has developed recommendations for the prevention and management of chlamydia for all providers of health care. These recommendations call for screening of all sexually active females under 20 years of age at least annually, and annual screening of women ages 20 and older with one or more risk factors for chlamydia (i.e., new or multiple sex partners and lack of barrier contraception). All women with infection of the cervix and all pregnant women should be tested.

The Region VI Infertility Prevention Project is a collaborative effort of STD/Family Planning programs and Public Health laboratories in Arkansas, Louisiana, New Mexico, Oklahoma and Texas. The overall purpose of this project is to reduce the prevalence of chlamydia infections and their sequelae through screening, treatment and follow-up services.

The Region VI Chlamydia Control Project is governed by the Regional Infertility Prevention Advisory Committee (RIPAC) which is comprised of one Family Planning administrator from each state, one state public health lab director or designee, and one STD director or designee. The Regional Program Consultant for Family Planning and a representative from the Regional Reference Laboratory in New Orleans will serve as ex-officio members. The RIPAC meets together three times a year and conducts telephone conference calls as needed to explore issues, keep abreast of new information related to chlamydia, develop guidelines and standards, and provide recommendations. The Center for Health Training (TCHT) administers regional aspects of the project in Region VI and provides coordination and support. The CDC provides on-going technical assistance with current information on testing technology, surveillance and advances in treatment.

The goal of the Region VI Chlamydia Control Project is to assess and reduce the prevalence of chlamydia and associated complications in family planning and sexually transmitted disease clinic populations and other community-based providers through a program of consistent screening, treatment, education, follow-up and data collection activities.

Sentinel surveillance is conducted within each state. A set of minimum data elements is collected and the data is provided to monitor general prevalence rates and prevalence rates as related to specific variables, e.g., as related to age, race, presence of symptoms, etc. The target population is the 15-19 year old populations. States in Region VI can also do additional screening targeting the 20-24 year old population.

The public health laboratories in all five states conform to RIPAC established guidelines in addressing the following issues: selection of laboratory tests; quality assurance; turnaround times for test results; acceptable ranges for costs per test; and, training for laboratory personnel. This ensures that all laboratory test results in the Region VI Chlamydia Control Project are provided in a consistent manner.


The clinic staff involved will utilize RIPAC guidelines that have been approved for patient and partner screening and treatment. These guidelines address the following issues: selective screening criteria; definitions of symptoms and signs of infection; specimen collection; recommendations for treatment; partner examination and treatment; and, education and counseling and referral.

Future goals of the Region VI Chlamydia Control Project include evaluation of regional data to make recommendations regarding: assessment of chlamydia services currently in place; assessment of unmet needs for chlamydia testing in the region; evaluation of selective screening and treatment criteria; expansion of screening activities into other sites that serve high risk clients, e.g., adolescent services, prenatal clinics, community and migrant health centers and detention centers.

What still needs to be done?

Programs to provide testing for infection through screening and subsequent treatment are needed nationwide. A successful program must include comprehensive screening and treatment not only for women but also for men. Recent research advances have made available extremely accurate urine tests, which make testing of males more feasible and less uncomfortable than older tests. In addition, single-dose antibiotic therapy promises to substantially enhance the likelihood of successful treatment -- especially in adolescents -- as compared to commonly used 7-day oral medication.

Reference: Public Health Regions in Texas



Public Health Regions

HIV & AIDS: Residence Data

Jan - Dec 2000

Residence County	HIV (Non-AIDS)			AIDS				Persons Living with HIV / AIDS
	Cumulative Reported Cases *	Cases Reported in 1999	Jan - Dec 2000	Cumulative Reported Cases *	2000 Rate***	Cases Reported in 1999	Jan - Dec 2000	
Region 1	147	46	96	803	10.1	76	78	479
Lubbock Co.	69	36	30	323	14.1	44	32	213
Potter\Randall Co.	61	7	53	339	15.1	23	33	196
Other	17	3	13	141	3.9	9	13	70
Region 2	90	30	58	483	3.4	34	18	321
Taylor Co.	22	6	15	145	8.0	9	10	90
Wichita Co.	31	15	15	177	0.8	13	1	118
Other	37	9	28	161	2.5	12	7	113
Region 3	2,067	716	1,302	15,986	16.0	758	881	9,345
Dallas Co.	1,452	531	896	11,526	27.1	535	599	6,604
Denton Co.	53	18	33	383	6.2	20	26	235
Tarrant Co.	408	124	274	3,143	12.1	133	187	1,861
Other	154	43	99	934	5.2	70	69	645
Region 4/5N	303	118	182	1,376	8.5	151	112	977
Angelina Co.	26	10	16	72	10.7	11	8	59
Bowie Co.	22	11	11	133	14.1	8	12	80
Gregg Co.	42	10	32	187	20.3	17	22	151
Smith Co.	38	16	22	221	9.4	18	16	151
Other	175	71	101	763	6.2	97	54	536
Region 6/5S	2,553	923	1,494	21,065	17.7	766	882	11,361
Galveston Co.	49	10	36	694	20.0	19	47	339
Harris Co.	2,218	830	1,270	18,490	21.8	676	725	9,909
Jefferson Co.	129	33	92	580	16.2	20	38	403
Montgomery Co.	33	5	27	262	4.6	11	11	145
Other	124	45	69	1,039	6.3	40	61	565
Region 7	563	174	371	4,928	13.2	359	267	2,775
Bell Co.	38	10	28	253	11.7	19	25	169
Brazos Co.	37	11	25	161	11.5	17	14	101
McLennan Co.	52	23	29	289	6.7	14	13	177
Travis Co.	367	107	247	3,602	26.9	251	176	1,961
Other	69	23	42	623	4.7	58	39	367
Region 8	472	152	314	4,303	9.0	232	190	2,455
Bexar Co.	417	132	283	3,888	11.9	205	164	2,221
Victoria Co.	8	2	3	72	4.9	1	4	39
Other	47	18	28	343	3.4	26	22	195
Region 9/10	168	65	97	1,577	8.5	123	117	948
El Paso Co.	111	52	55	1,089	10.5	89	81	680
Midland Co.	15	6	9	127	10.0	10	13	77
Other	42	7	33	361	4.9	24	23	191
Region 11	292	98	185	1,744	7.0	129	121	1,149
Cameron/Hidalgo Co.	160	43	114	720	6.8	55	60	559
Nueces Co.	58	27	27	586	11.6	41	37	322
Webb Co.	52	16	35	218	9.6	11	18	158
Other	22	12	9	220	1.8	22	6	110
TDCJ ‡	699	370	329	2,148		231	124	2,066
Statewide Total	7,354	2,692	4,428	54,413	6.9	2,859	2,790	31,876

* Cumulative HIV data includes pediatric HIV infections reported since 1994 and adult/adolescent HIV infections reported since 1999.

** Cumulative AIDS data includes all cases reported since 1980, including cases originally reported as HIV which have progressed to AIDS.

*** Rates are cases per 100,000 population

‡ Texas Department of Criminal Justice

HIV & AIDS Cases by Residence County, Cumulative and Year to Date: Jan - Dec 2000

County	HIV (Non-AIDS)		AIDS		Living with HIV / AIDS	County	HIV (Non-AIDS)		AIDS		Living with HIV / AIDS
	Cumulative*	Jan - Dec 2000	Cumulative**	Jan - Dec 2000			Cumulative*	Jan - Dec 2000	Cumulative**	Jan - Dec 2000	
Anderson	21	11	48	5	46	Donley	-	-	2	-	1
Andrews	-	-	9	-	2	Duval	1	-	6	-	4
Angelina	26	16	72	8	59	Eastland	3	2	12	-	8
Aransas	1	-	27	-	12	Ector	18	14	147	9	81
Archer	-	-	4	-	1	Edwards	-	-	3	-	1
Armstrong	-	-	1	-	-	Ellis	15	7	94	6	60
Atascosa	6	6	14	2	13	EIPASO	111	55	1,089	81	680
Austin	2	2	10	1	10	Erath	2	2	16	-	5
Bailey	1	1	2	-	2	Falls	3	1	11	2	7
Bandera	1	1	5	-	3	Fannin	1	1	13	1	7
Bandera	4	-	70	1	40	Fayette	3	2	12	1	11
Baylor	-	-	1	-	-	Fisher	1	-	3	-	3
Bee	-	-	24	1	12	Floyd	1	1	4	-	3
Bell	38	28	253	25	169	Foard	-	-	1	-	-
Bexar	417	283	3,888	164	2,221	Fort Bend	57	30	386	22	236
Blanco	1	1	5	1	5	Franklin	-	-	1	-	-
Borden	-	-	-	-	-	Freestone	-	-	11	1	5
Bosque	1	-	7	-	6	Frio	-	-	4	-	1
Bowie	22	11	133	12	80	Gaines	-	-	2	-	-
Brazoria	12	7	254	19	113	Galveston	49	36	694	47	339
Brazos	37	25	161	14	101	Garza	-	-	3	-	1
Brewster	-	-	3	-	-	Gillespie	-	-	6	-	-
Briscoe	-	-	1	-	-	Glasscock	-	-	-	-	-
Brooks	1	-	5	-	4	Goliad	-	-	-	-	-
Brown	7	5	15	-	16	Gonzales	3	1	11	-	8
Burleson	6	4	14	-	14	Gray	1	1	10	-	3
Burnet	1	-	23	2	13	Graysen	18	7	111	7	76
Caldwell	2	-	28	3	17	Gregg	42	32	187	22	151
Calhoun	2	2	17	-	10	Grimes	5	4	21	3	12
Callahan	-	-	5	-	3	Guadalupe	9	5	36	6	30
Cameron	62	46	330	15	243	Hale	7	5	20	2	15
Camp	1	1	11	3	9	Hall	-	-	1	-	-
Cameron	-	-	4	-	-	Hamilton	3	2	7	-	8
Cass	4	2	22	-	16	Hansford	-	-	-	-	-
Castro	-	-	3	-	-	Hardeman	2	1	8	-	7
Chambers	-	-	14	2	5	Hardin	4	4	41	2	15
Cherokee	14	11	38	3	35	Harris	2,218	1,270	18,490	725	9,909
Childress	-	-	9	-	-	Harrison	11	8	54	2	39
Clay	-	-	2	-	-	Hartley	-	-	-	-	-
Cochran	-	-	1	1	1	Haskell	1	1	4	-	2
Coke	-	-	2	-	-	Hays	7	6	87	2	51
Coleman	1	1	6	-	5	Hemphill	-	-	1	-	1
Collin	45	33	246	27	189	Henderson	11	6	52	3	33
Collingsworth	-	-	-	-	-	Hidalgo	98	68	390	45	316
Colorado	5	2	10	-	6	Hill	2	2	26	2	12
Comal	8	4	52	4	34	Hockley	2	2	13	1	6
Comanche	3	2	8	-	6	Hood	7	5	23	1	22
Concho	1	1	4	-	2	Hopkins	4	1	29	3	16
Cooke	2	2	24	-	12	Houston	17	15	25	1	29
Coryell	6	2	27	1	19	Howard	7	5	41	7	22
Cottle	-	-	-	-	-	Hudspeth	-	-	-	-	-
Crane	-	-	1	-	-	Hunt	6	4	67	2	36
Crockett	-	-	3	-	1	Hutchinson	-	-	6	-	-
Crosby	-	-	3	-	1	Irion	-	-	-	-	-
Culberson	-	-	2	-	1	Jack	-	-	6	1	4
Dallam	-	-	9	1	6	Jackson	-	-	11	1	2
Dallas	1,452	896	11,526	599	6,604	Jasper	2	2	22	-	8
Dawson	2	2	5	1	5	Jeff Davis	-	-	1	-	-
Deaf Smith	-	-	8	-	5	Jefferson	129	92	580	38	403
Delta	2	2	-	-	2	Jim Hogg	-	-	3	-	-
Denton	53	33	383	26	235	Jim Wells	-	-	20	2	7
DeWitt	-	-	10	1	1	Johnson	20	15	97	6	62
Dickens	-	-	3	-	-	Jones	1	1	9	1	6
Dimmit	-	-	5	1	2	Karnes	1	-	2	1	3

* Cumulative HIV data includes pediatric HIV infections reported since 1994 and adult/adolescent HIV infections reported since 1999.

** Cumulative AIDS data includes all cases reported since 1980, including cases originally reported as HIV which have progressed to AIDS.

HIV & AIDS Cases by Residence County, Cumulative and Year to Date: Jan - Dec 2000

County	HIV (Non-AIDS)		AIDS		Living with HIV / AIDS		HIV (Non-AIDS)		AIDS		Living with HIV / AIDS
	Cumulative*	Jan - Dec 2000	Cumulative**	Jan - Dec 2000			County	Cumulative*	Jan - Dec 2000	Cumulative**	
Kaufman	10	6	79	7	50		Real	-	-	1	1
Kendall	1	-	13	-	7		Red River	4	3	9	1
Kenedy	-	-	-	-	-		Reeves	1	1	9	-
Kent	-	-	-	-	-		Refugio	1	-	1	-
Kerr	5	2	40	1	24		Roberts	-	-	-	-
Kimble	-	-	1	-	1		Robertson	1	1	19	-
King	-	-	-	-	-		Rockwall	4	3	28	3
Kinney	-	-	3	-	1		Runnels	1	1	4	-
Kleberg	1	-	34	1	12		Rusk	11	5	31	3
Knox	1	1	-	-	1		Sabine	1	1	8	-
Lamar	14	4	30	4	28		San Augustine	1	1	15	-
Lamb	2	2	8	2	6		San Jacinto	-	-	19	-
Lampasas	-	-	10	-	2		San Patricio	8	2	61	-
La Salle	-	-	6	1	3		San Saba	-	-	2	-
Lavaca	-	-	3	-	2		Schleicher	-	-	3	-
Lee	2	2	6	-	5		Scurry	2	2	5	-
Leon	-	-	8	-	5		Shackelford	-	-	-	-
Liberty	9	2	75	5	45		Shelby	3	3	44	7
Limestone	1	-	14	2	10		Sherman	-	-	1	-
Lipscomb	-	-	1	-	-		Smith	38	22	221	16
Live Oak	-	-	6	-	3		Somervell	-	-	4	-
Llano	-	-	9	1	3		Starr	1	-	20	-
Loving	-	-	-	-	-		Stephens	-	-	3	-
Lubbock	69	30	323	32	213		Sterling	-	-	-	-
Lynn	1	-	1	-	2		Stonewall	-	-	1	-
McCulloch	1	1	9	-	4		Sutton	-	-	1	-
McLennan	52	29	289	13	177		Swisher	-	-	4	2
McMullen	-	-	-	-	-		Tarrant	408	274	3,143	187
Madison	2	2	14	1	4		Taylor	22	15	145	10
Marion	4	2	6	1	8		Terrell	-	-	-	-
Martin	-	-	4	-	1		Terry	-	-	4	2
Mason	-	-	1	-	-		Throckmorton	-	-	1	-
Matagorda	5	2	35	2	16		Titus	6	1	22	1
Maverick	6	4	31	1	19		Tom Green	10	9	81	4
Medina	2	2	19	1	8		Travis	367	247	3,602	176
Menard	-	-	-	-	-		Trinity	7	5	15	2
Midland	15	9	127	13	77		Tyler	1	1	14	-
Milam	5	4	26	3	18		Upton	-	-	-	-
Mills	-	-	-	-	-		Uvalde	-	-	11	-
Mitchell	1	1	5	1	4		Val Verde	3	1	18	-
Montague	1	-	10	-	3		Van Zandt	4	3	29	-
Montgomery	33	27	262	11	145		Victoria	8	3	72	4
Moore	-	-	7	1	3		Walker	6	3	49	-
Morris	-	-	11	-	3		Waller	4	3	35	1
Motley	-	-	-	-	-		Ward	2	-	10	-
Nacogdoches	9	4	61	9	44		Washington	1	-	17	3
Navarro	6	5	44	4	34		Webb	52	35	218	18
Newton	1	1	6	-	4		Wharton	5	2	38	-
Nolan	4	4	13	-	9		Wheeler	-	-	-	-
Nueces	58	27	586	37	322		Wichita	31	15	177	1
Ochiltree	1	-	3	-	3		Wilbarger	6	4	24	3
Oldham	-	-	-	-	-		Willacy	7	6	9	1
Orange	15	12	92	7	50		Williams on	13	9	149	10
Palo P into	3	2	13	-	13		Wils on	-	-	16	2
Panola	2	-	16	-	12		Winkler	-	-	9	1
Parker	8	4	51	4	38		Wise	7	3	24	1
Parmer	1	1	3	-	3		Wood	1	1	32	1
Pecos	-	-	11	-	4		Yoakum	-	-	5	1
Polk	7	1	60	3	27		Young	2	2	11	1
Potter	58	52	295	31	181		Zapata	1	1	4	2
Pres idio	-	-	2	1	-		Zavala	-	-	6	-
Rains	2	2	5	-	3		TDCJ †	699	329	2,148	124
Randall	3	1	44	2	15		State Total	7,354	4,428	# # #	2,790
Reagan	-	-	-	-	-						31,876


* Cumulative HIV data includes pediatric HIV infections reported since 1994 and adult/adolescent HIV infections reported since 1999.

** Cumulative AIDS data includes all cases reported since 1980, including cases originally reported as HIV which have progressed to AIDS. ^

† Texas Department of Criminal Justice

HIV Data Summary

Texas HIV Cases by Quarter of Report 1999-2000




HIV By Age Group, Race, And Sex: Jan - Dec 2000

Age Group	Female						Male						Unk Sex	Total		
	White	African American	Hispanic	Asian	Amer. Indian	Unk	Total	White	African American	Hispanic	Asian	Amer. Indian	Unk	Total		
0 - 9	1	8	1	-	-	-	10	4	8	4	-	-	-	16	-	26
10 - 14	1	10	-	-	-	-	11	1	3	-	-	-	-	4	-	15
15 - 19	17	99	22	-	-	-	138	17	25	13	-	-	-	55	-	193
20 - 24	55	138	38	-	-	1	232	103	117	88	-	-	-	308	-	540
25 - 29	41	151	36	1	-	-	229	251	198	134	6	3	2	594	-	823
30 - 34	54	116	44	1	-	-	215	310	221	150	4	2	-	687	-	902
35 - 39	46	93	27	-	1	-	167	307	218	122	1	2	-	650	-	817
40 - 44	41	67	20	1	1	-	130	185	147	76	2	-	2	412	-	542
45+	32	71	23	-	-	-	126	212	143	79	-	-	3	437	-	563
Unknown	-	1	-	-	-	-	1	3	2	1	-	-	-	6	-	7
Total	288	754	211	3	2	1	1,259	1,393	1,082	667	13	7	7	3,169	-	4,428
Percent	23%	60%	17%	<1%	<1%	<1%		44%	34%	21%	<1%	<1%	<1%		Percent Male	72%

Total White	1,681	38%
Total African-American	1,836	41%
Total Hispanic	878	20%
Total Asian	16	<1%
Total American Indian	9	<1%
Total Unknown Race	8	<1%
Total	4,428	

AIDS Data Summary

Texas AIDS Cases by Quarter of Report 1995-2000



AIDS By Age Group, Race, And Sex Jan - Dec 2000

Age Group	Female							Male							Unk Sex	Total
	White	African American	Hispanic	Asian	Amer. Indian	Unk	Total	White	African American	Hispanic	Asian	Amer. Indian	Unk	Total		
0 - 9	2	2	3	-	-	-	7	1	2	-	-	-	-	3	-	10
10 - 14	-	2	1	-	-	-	3	1	-	-	-	-	-	1	-	4
15 - 19	-	7	2	-	-	-	9	2	6	6	-	-	-	14	-	23
20 - 24	5	32	9	-	-	-	46	24	28	26	-	-	-	78	-	124
25 - 29	17	69	15	1	-	-	102	74	77	88	1	-	-	240	-	342
30 - 34	26	64	14	-	-	-	104	168	133	137	1	3	-	442	-	546
35 - 39	27	74	11	2	-	-	114	234	173	151	2	1	-	561	-	675
40 - 44	25	42	13	-	1	-	81	153	131	97	1	-	-	382	-	463
45+	32	46	26	1	-	-	105	235	154	102	2	3	2	498	-	603
Unknown	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	134	338	94	4	1	-	571	892	704	607	7	7	2	2,219	-	2,790
Percent	23%	59%	16%	<1%	<1%	0%		40%	32%	27%	<1%	<1%	<1%			
	Percent Female							Percent Male								

Total White	1,026	37%
Total African-American	1,042	37%
Total Hispanic	701	25%
Total Asian	11	<1%
Total American Indian	8	<1%
Total Unknown Race	2	<1%
Total	2,790	

HIV / AIDS Mode of Exposure

Mode of Exposure	HIV by Mode of Exposure and Sex:						Jan - Dec 2000		
	Cumulative			Total 1999			Jan - Dec 2000		
	Male	Female	Cumulative Total	Male	Female	Total 1999	Male	Female	Jan - Dec 2000
Adult									
Male/Male Sex	2,510	0	2,510	825	0	825	1,685	0	1,685
Intravenous (IV) Drugs	687	476	1,163	324	199	523	363	277	640
Male/Male IV Drugs	464	0	464	225	0	225	239	0	239
Coagulation Disorder	6	2	8	2	0	2	4	2	6
Heterosexual Contact	354	828	1,182	158	377	535	196	451	647
Transfusion	9	10	19	3	5	8	6	5	11
Risk not reported/Other	959	756	1,715	302	243	545	657	513	1,170
Adult Total	4,989	2,072	7,061	1,839	824	2,663	3,150	1,248	4,398
Pediatric									
Coagulation Disorder	14	1	15	0	0	0	0	0	0
Parent at risk/has HIV	125	117	242	12	14	26	14	9	23
Transfusion	2	4	6	0	0	0	0	0	0
Risk not reported/Other	17	13	30	0	3	3	5	2	7
Pediatric Total	158	135	293	12	17	29	19	11	30
Statewide Total	5,147	2,207	7,354	1,851	841	2,692	3,169	1,259	4,428

* Cumulative HIV data includes pediatric HIV infections reported since 1994 and adult/adolescent HIV infections reported since 1999.

** HIV/AIDS mode of exposure has been categorized into hierachal exposure groups for persons who have multiple possible risks.


Mode of Exposure	AIDS by Mode of Exposure and Sex:						Jan - Dec 2000		
	Cumulative			Total 1999			Jan - Dec 2000		
	Male	Female	Cumulative Total	Male	Female	Total 1999	Male	Female	Jan - Dec 2000
Adult									
Male/Male Sex	32,082	0	32,082	1,172	0	1,172	1,159	0	1,159
Intravenous (IV) Drugs	5,394	2,220	7,614	328	140	468	268	147	415
Male/Male IV Drugs	4,933	0	4,933	236	0	236	163	0	163
Coagulation Disorder	242	10	252	3	0	3	4	0	4
Heterosexual Contact	1,851	2,592	4,443	180	236	416	119	189	308
Transfusion	417	239	656	10	2	12	17	15	32
Risk not reported/Other	3,061	979	4,040	399	141	540	486	210	696
Adult Total	47,980	6,040	54,020	2,328	519	2,847	2,216	561	2,777
Pediatric									
Coagulation Disorder	50	0	50	2	0	2	0	0	0
Parent at risk/has HIV	157	169	326	5	4	9	3	10	13
Transfusion	21	19	40	0	0	0	0	0	0
Risk not reported/Other	2	9	11	0	1	1	0	0	0
Pediatric Total	230	197	427	7	5	12	3	10	13
Statewide Total	48,210	6,237	54,447	2,335	524	2,859	2,219	571	2,790

* Cumulative HIV data includes pediatric HIV infections reported since 1994 and adult/adolescent HIV infections reported since 1999.


** HIV/AIDS mode of exposure has been categorized into hierachal exposure groups for persons who have multiple possible risks.

HIV/AIDS: Adult Mode of Exposure

**HIV Cases Adult Modes of Exposure
by Percent for Men and Women
1999 Jan-Dec 2000**



**AIDS Cases Adult Modes of Exposure
by Percent for Men and Women
1999 Jan-Dec 2000**



HIV/AIDS by Race/Ethnicity and Sex

HIV by Race/Ethnicity and Sex

Race	Cumulative			1999 Total			Jan - Dec 2000 Total		
	Male	Female	Cumulative Total	Male	Female	1999 Total	Male	Female	Jan - Dec 2000 Total
Adult									
White	2,070	479	2,549	682	192	874	1,388	287	1,675
African American	1,844	1,244	3,088	772	499	1,271	1,072	745	1,817
Hispanic	1,020	336	1,356	357	126	483	663	210	873
Asian	25	4	29	12	1	13	13	3	16
American Indian/AK	12	4	16	5	2	7	7	2	9
Unknown	18	5	23	11	4	15	7	1	8
<i>Adult Total</i>	<i>4,989</i>	<i>2,072</i>	<i>7,061</i>	<i>1,839</i>	<i>824</i>	<i>2,663</i>	<i>3,150</i>	<i>1,248</i>	<i>4,398</i>
Pediatric									
White	43	24	67	1	2	3	5	1	6
African American	79	83	162	7	11	18	10	9	19
Hispanic	30	24	54	4	3	7	4	1	5
Asian	1	0	1	0	0	0	0	0	0
American Indian/AK	0	0	0	0	0	0	0	0	0
Unknown	5	4	9	0	1	1	0	0	0
<i>Pediatric Total</i>	<i>158</i>	<i>135</i>	<i>293</i>	<i>12</i>	<i>17</i>	<i>29</i>	<i>19</i>	<i>11</i>	<i>30</i>
Statewide Total	5,147	2,207	7,354	1,851	841	2,692	3,169	1,259	4,428



* Cumulative HIV data includes pediatric HIV infections reported since 1994 and adult/adolescent HIV infections reported since 1999.

AIDS by Race/Ethnicity and Sex

Race	Cumulative			1999 Total			Jan - Dec 2000 Total		
	Male	Female	Cumulative Total	Male	Female	1999 Total	Male	Female	Jan - Dec 2000 Total
Adult									
White	26,806	1,750	28,556	952	132	1,084	891	132	1,023
African American	11,808	3,267	15,075	766	279	1,045	702	334	1,036
Hispanic	9,128	998	10,126	597	104	701	607	90	697
Asian	151	21	172	7	4	11	7	4	11
American Indian/AK	72	4	76	6	0	6	7	1	8
Unknown	15	0	15	0	0	0	2	0	2
<i>Adult Total</i>	<i>47,980</i>	<i>6,040</i>	<i>54,020</i>	<i>2,328</i>	<i>519</i>	<i>2,847</i>	<i>2,216</i>	<i>561</i>	<i>2,777</i>
Pediatric									
White	65	41	106	2	0	2	1	2	3
African American	100	103	203	3	4	7	2	4	6
Hispanic	63	53	116	1	1	2	0	4	4
Asian	2	0	2	1	0	1	0	0	0
American Indian/AK	0	0	0	0	0	0	0	0	0
Unknown	.	0	0	0	0	0	0	0	0
<i>Pediatric Total</i>	<i>230</i>	<i>197</i>	<i>427</i>	<i>7</i>	<i>5</i>	<i>12</i>	<i>3</i>	<i>10</i>	<i>13</i>
Statewide Total	48,210	6,237	54,447	2,335	524	2,859	2,219	571	2,790

* Cumulative AIDS data includes all cases reported since 1980, including cases originally reported as HIV which have progressed to AIDS.

HIV/AIDS Adult Cases by Race/Ethnicity and Sex




Chlamydia and Gonorrhea Cases by Race/Ethnicity

Chlamydia and Gonorrhea: Residence Data				Jan - Dec 2000				
Residence County	Chlamydia			Gonorrhea				
	1999 Rate	2000 Rate	Jan - Dec 1999	Jan - Dec 2000	1999	2000 Rate	Jan - Dec 1999	Jan - Dec 2000
Region 1	418	425	3,220	3,297	198	198	1,522	1,534
Lubbock Co.	578	590	1,308	1,343	354	327	801	744
Potter/Randall Co.	400	440	858	962	193	220	414	480
Other	320	320	1,054	992	93	94	307	310
Region 2	281	277	1,500	1,478	116	157	619	838
Taylor Co.	442	383	550	478	229	182	285	227
Wichita Co.	308	388	394	500	144	337	184	434
Other	198	178	556	500	53	63	150	177
Region 3	289	316	15,531	17,367	211	208	11,333	11,419
Dallas Co.	431	452	9,358	9,979	344	331	7,474	7,317
Denton Co.	124	164	496	686	37	57	147	238
Tarrant Co.	247	273	3,729	4,215	185	180	2,783	2,785
Other	151	188	1,948	2,487	72	81	929	1,079
Region 4/5N	291	282	3,789	3,694	175	147	2,281	1,924
Angelina Co.	243	283	180	211	205	162	152	121
Bowie Co.	506	543	429	462	433	423	367	360
Gregg Co.	346	391	374	423	176	181	190	196
Smith Co.	481	416	809	707	341	240	574	408
Other	231	217	1,997	1,891	115	96	998	839
Region 6/5S	294	333	14,460	16,629	175	167	8,608	8,356
Galveston Co.	292	365	681	857	265	227	619	533
Harris Co.	320	368	10,473	12,218	181	178	5,914	5,917
Jefferson Co.	439	444	1,036	1,044	444	407	1,048	957
Montgomery Co.	152	157	358	380	61	64	143	155
Other	202	221	1,912	2,130	94	83	884	794
Region 7	440	442	8,764	8,938	223	205	4,438	4,139
Bell Co.	912	946	1,933	2,026	338	390	717	835
Brazos Co.	520	474	631	578	361	230	438	280
McLennan Co.	623	570	1,202	1,102	428	360	825	696
Travis Co.	426	477	2,756	3,120	238	234	1,542	1,531
Other	275	253	2,242	2,112	112	95	916	797
Region 8	347	356	7,201	7,505	120	128	2,485	2,693
Bexar Co.	417	427	5,668	5,880	151	167	2,055	2,301
Victoria Co.	456	514	367	418	158	105	127	85
Other	183	186	1,166	1,207	48	47	303	307
Region 9/10	225	311	3,042	4,285	33	56	451	774
E. Paso Co.	251	287	1,896	2,226	21	27	155	209
Midland Co.	193	313	247	408	62	108	79	141
Other	192	349	899	1,651	46	90	217	424
Region 11	297	322	5,019	5,565	56	70	943	1,218
Cameron/Hidalgo Co.	299	300	2,563	2,648	27	25	233	220
Nueces Co.	359	478	1,133	1,523	166	243	524	774
Webb Co.	231	267	420	503	17	20	31	38
Other	271	263	903	891	47	55	155	186
Statewide Total	313	338	62,526	68,758	163	162	32,680	32,895


* Rates are cases per 100,000 population

Chlamydia and Gonorrhea Cases by Race/Ethnicity

Chlamydia Cases by Race/Ethnicity by Percent for Males and Females 1999 Jan-Dec 2000




Gonorrhea Cases by Race/Ethnicity by Percent for Males and Females 1999 Jan-Dec 2000




Syphilis Cases by Race/Ethnicity and Sex

Primary & Secondary Syphilis Cases by Race/Ethnicity by Percent for Males and Females 1999 Jan-Dec 2000



Congenital Syphilis Cases by Race/Ethnicity

1999 Jan-Dec 2000



Syphilis: Residence Data										Jan - Dec 2000			
Residence County	Congenital			Primary/Secondary				Early Latent			Total Syphilis		
	1999	Jan - Dec 1999	Jan - Dec 2000	1999 Rate	2000 Rate	Jan - Dec 1999	Jan - Dec 2000	1999	Jan - Dec 1999	Jan - Dec 2000	1999	Jan - Dec 1999	Jan - Dec 2000
Region 1	-	-	1	0.3	0.3	2	2	7	7	14	32	32	33
Lubbock Co.	-	-	1	0.4	0.9	1	2	2	2	1	8	8	8
Potter\Randall Co.	-	-	-	0.5	-	1	0	1	1	4	4	4	6
Other	-	-	-	-	-	-	0	4	4	9	20	20	19
Region 2	8	8	-	1.7	0.7	9	4	11	11	4	53	53	41
Taylor Co.	-	-	-	-	0.8	-	1	-	-	1	2	2	2
Wichita Co.	1	1	-	5.5	2.3	7	3	8	8	3	29	29	15
Other	-	-	-	0.7	-	2	0	3	3	-	22	22	24
Region 3	7	7	11	3.3	2.3	178	141	457	457	489	888	888	882
Dallas Co.	4	4	7	7.0	4.5	152	100	380	380	361	691	691	588
Denton Co.	-	-	-	0.2	1.0	1	4	1	1	6	3	3	14
Tarrant Co.	3	3	4	1.3	1.4	20	22	64	64	80	171	171	192
Other	-	-	-	0.4	1.1	5	15	12	12	42	23	23	88
Region 4/5N	4	4	5	4.1	1.4	54	19	135	135	111	256	256	193
Angelina Co.	1	1	-	9.4	6.7	7	5	23	23	13	35	35	25
Bowie Co.	-	-	-	2.4	1.2	2	1	6	6	6	10	10	10
Gregg Co.	-	-	-	1.8	2.8	2	3	6	6	20	10	10	29
Smith Co.	1	1	-	8.9	1.2	15	2	22	22	22	45	45	27
Other	2	2	5	3.2	0.9	28	8	78	78	50	156	156	102
Region 6/5S	50	50	33	2.7	1.7	132	115	408	408	302	1,451	1,451	1,160
Galveston Co.	1	1	-	0.4	0.4	1	1	42	42	23	47	47	30
Harris Co.	47	47	29	2.1	2.1	70	70	240	240	135	1,102	1,102	849
Jefferson Co.	-	-	-	6.8	6.0	16	14	31	31	21	87	87	63
Montgomery Co.	1	1	3	0.8	0.4	2	1	10	10	10	23	23	19
Other	1	1	1	4.5	3.0	43	29	85	85	113	192	192	199
Region 7	1	1	-	1.6	0.3	32	21	78	78	62	310	310	177
Bell Co.	-	-	-	1.9	1.4	4	3	3	3	6	23	23	18
Brazos Co.	-	-	-	0.8	1.6	1	2	10	10	6	17	17	14
McLennan Co.	-	-	-	1.6	0.5	3	1	2	2	6	22	22	17
Travis Co.	-	-	-	2.8	1.2	18	8	23	23	27	61	61	59
Other	1	1	-	0.7	0.8	6	7	40	40	17	187	187	69
Region 8	5	5	5	1.9	3.6	39	75	78	78	110	254	254	322
Bexar Co.	4	4	4	2.3	4.9	31	67	71	71	103	227	227	286
Victoria Co.	-	-	-	5.0	3.7	4	3	2	2	3	8	8	10
Other	1	1	1	0.6	0.8	4	5	5	5	4	19	19	26
Region 9/10	1	1	2	0.7	0.5	10	7	13	13	12	182	182	215
El Paso Co.	1	1	2	1.2	0.8	9	6	9	9	11	79	79	92
Midland Co.	-	-	-	-	-	-	0	2	2	-	16	16	4
Other	-	-	-	0.2	0.2	1	1	2	2	1	87	87	119
Region 11	23	23	14	0.2	0.8	3	14	53	53	71	221	221	280
Cameron/Hidalgo Co.	22	22	11	0.2	1.2	2	11	36	36	51	129	129	170
Nueces Co.	-	-	-	0.3	0.3	1	1	9	9	3	20	20	10
Webb Co.	-	-	2	-	0.5	-	1	5	5	14	19	19	48
Other	1	1	1	-	0.3	-	1	3	3	3	53	53	52
Statewide Total	99	99	71	2.3	2.0	459	398	1,240	1,240	1,175	3,647	3,647	3,303


* Rates are cases per 100,000 population

Pelvic Inflammatory Disease and Chancroid: Residence Data

Jan - Dec 2000


Residence County	Pelvic Inflammatory Disease (PID)								Chancroid		
	Chlamydia		Gonorrhea		Other/Unspecified		Total PID				
	Jan - Dec 1999	Jan - Dec 2000	Jan - Dec 1999	Jan - Dec 2000	Jan - Dec 1999	Jan - Dec 2000	Jan - Dec 1999	Jan - Dec 2000	1999	Jan - Dec 1999	Jan - Dec 2000
Region 1	7	32	9	20	6	22	22	74	-	-	-
Lubbock Co.	3	2	5	2	4	3	12	7	-	-	-
Potter\Randall Co.	2	13	-	5	1	14	3	32	-	-	-
Other	2	17	4	13	1	5	7	35	-	-	-
Region 2	23	35	14	22	1	-	38	57	-	-	1
Taylor Co.	13	21	6	13	-	-	19	34	-	-	-
Wichita Co.	6	1	5	2	1	-	12	3	-	-	1
Other	4	13	3	7	-	-	7	20	-	-	-
Region 3	145	138	155	110	488	517	788	765	8	8	11
Dallas Co.	86	79	129	84	456	496	671	659	4	4	6
Denton Co.	7	3	4	-	2	-	13	3	1	1	-
Tarrant Co.	-	2	2	-	3	7	5	9	2	2	2
Other	52	54	20	26	27	14	99	94	1	1	3
Region 4/5N	3	3	3	2	-	1	6	6	-	-	-
Angelina Co.	-	0	-	1	-	-	-	1	-	-	-
Bowie Co.	-	0	-	-	-	-	-	-	-	-	-
Gregg Co.	-	0	1	-	-	-	1	-	-	-	-
Smith Co.	-	1	-	-	-	-	-	1	-	-	-
Other	3	2	2	1	-	1	5	4	-	-	-
Region 6/5S	91	54	90	54	243	202	424	310	7	7	3
Galveston Co.	45	18	27	23	2	-	74	41	-	-	-
Harris Co.	40	30	58	26	235	200	333	256	7	7	3
Jefferson Co.	1	0	-	-	-	-	1	-	-	-	-
Montgomery Co.	1	2	-	1	2	1	3	4	-	-	-
Other	4	4	5	4	4	1	13	9	-	-	-
Region 7	54	59	63	42	9	3	126	104	-	-	1
Bell Co.	4	8	3	3	-	-	7	11	-	-	-
Brazos Co.	5	1	4	1	-	-	9	2	-	-	-
Mclennan Co.	6	11	6	9	-	-	12	20	-	-	1
Travis Co.	28	22	36	23	1	-	65	45	-	-	-
Other	11	17	14	6	8	3	33	26	-	-	-
Region 8	12	25	10	16	13	15	35	56	-	-	2
Bexar Co.	6	16	8	14	11	11	25	41	-	-	1
Victoria Co.	-	1	-	-	-	1	-	2	-	-	-
Other	6	8	2	2	2	3	10	13	-	-	1
Region 9/10	18	41	14	15	6	5	38	61	-	-	1
El Paso Co.	3	4	3	3	1	-	7	7	-	-	1
Midland Co.	8	6	6	2	5	3	19	11	-	-	-
Other	7	31	5	10	-	2	12	43	-	-	-
Region 11	178	288	33	37	10	41	221	366	1	1	-
Cameron/Hidalgo Co.	65	108	7	1	-	22	72	131	-	-	-
Nueces Co.	48	100	13	28	10	13	71	141	1	1	-
Webb Co.	23	27	-	1	-	2	23	30	-	-	-
Other	42	53	13	7	-	4	55	64	-	-	-
Statewide Total	531	675	391	318	776	806	1,698	1,799	16	16	19

Chlamydia Cases Summary Data



Age Group	Female						Male						Unk Sex		
	White	African American	Hispanic	Asian	Amer. Indian	Unk	Total	White	African American	Hispanic	Asian	Amer. Indian	Unk	Total	
0 - 9	31	37	70	1	-	119	258	10	18	35	1	-	36	100	11
10 - 14	195	476	507	5	1	287	1,471	17	67	58	1	-	12	155	5
15 - 19	4,089	6,456	8,022	113	36	4,774	23,490	422	1,288	1,239	17	7	454	3,427	45
20 - 24	3,174	5,167	7,531	114	21	3,850	19,857	664	1,458	1,460	25	4	610	4,221	55
25 - 29	902	1,393	3,125	43	8	1,448	6,919	272	620	692	13	8	355	1,960	11
30 - 34	303	469	1,216	23	5	530	2,546	112	300	254	6	-	234	906	10
35 - 39	134	181	476	5	4	232	1,032	59	179	112	1	1	117	469	2
40 - 44	61	72	168	4	1	103	409	43	80	63	2	-	65	253	-
45+	42	32	125	3	-	121	323	40	68	41	1	2	68	220	1
Unknown	45	52	131	3	1	234	466	5	18	27	-	-	56	106	30
Total	8,976	14,335	21,371	314	77	11,698	56,771	1,644	4,096	3,981	67	22	2,007	11,817	170
Percent	16%	25%	38%	<1%	<1%	21%		14%	35%	34%	<1%	<1%	17%		<1%
	Percent Female						83%	Percent Male						17%	
	Total White						10,620	Total African-American						15%	
	Total African-American						18,431	Total Hispanic						27%	
	Total Hispanic						25,352	Total Asian						37%	
	Total Asian						381	Total American Indian						<1%	
	Total American Indian						99	Total Unknown Race						<1%	
	Total Unknown Race						13,705	Total Unknown Race & Sex						20%	
	Total Unknown Race & Sex						170							<1%	
	Total						68,758								

Gonorrhea Cases Summary Data




Gonorrhea by Age Group, Race, and Sex: Jan - Dec 2000

Age Group	Female						Male						Unk Sex		
	White	African American	Hispanic	Asian	Amer. Indian	Unk	Total	White	African American	Hispanic	Asian	Amer. Indian	Unk	Total	
0 - 9	6	32	15	-	-	32	85	7	12	9	1	-	30	59	4
10 - 14	45	283	111	3	-	107	549	7	50	27	-	-	28	112	-
15 - 19	914	3,476	1,283	27	5	1,128	6,833	232	2,078	657	4	4	492	3,467	16
20 - 24	759	2,739	1,082	18	4	900	5,502	372	2,926	897	19	4	569	4,787	16
25 - 29	272	957	435	10	5	327	2,006	203	1,683	493	8	1	375	2,763	9
30 - 34	164	394	182	6	-	180	926	180	897	234	6	-	301	1,618	1
35 - 39	113	196	79	3	-	113	504	161	714	159	3	1	254	1,292	-
40 - 44	65	95	38	-	-	59	257	122	453	97	4	-	143	819	3
45+	23	48	30	-	-	39	140	133	460	110	2	1	156	862	4
Unknown	10	24	20	1	-	64	119	10	26	25	-	1	64	126	16
Total	2,371	8,244	3,275	68	14	2,949	16,921	1,427	9,299	2,708	47	12	2,412	15,905	69
Percent	14%	49%	19%	<1%	<1%	17%		9%	58%	17%	<1%	<1%	15%		<1%
Percent Female						52%	Percent Male						48%		

Primary/Secondary Syphilis Cases Summary Data

Texas Syphilis Cases Reported Primary & Secondary Syphilis

Reported Cases by Half Year
with Annual Case Rate



Primary & Secondary Syphilis by Age Group, Race, and Sex: Jan - Dec 2000

Age Group	Female						Male						Unk Sex		
	White	African American	Hispanic	Asian	Amer. Indian	Unk	Total	White	African American	Hispanic	Asian	Amer. Indian	Unk	Total	
0 - 9	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
10 - 14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15 - 19	2	10	7	-	-	-	19	1	10	5	-	-	-	16	-
20 - 24	4	14	15	-	-	-	33	4	17	12	-	-	-	33	-
25 - 29	5	10	8	-	-	-	23	6	13	15	-	-	-	34	-
30 - 34	4	11	5	-	1	-	21	5	16	15	-	-	1	37	-
35 - 39	7	12	7	-	-	1	27	6	25	19	-	-	-	50	-
40 - 44	5	8	3	-	-	-	16	11	18	5	1	-	-	35	-
45+	3	8	2	-	-	-	13	9	22	7	1	1	-	40	-
Unknown	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	30	73	48	-	1	1	153	42	121	78	2	1	1	245	-
Percent	20%	48%	31%	<1%	<1%	<1%		17%	49%	32%	<1%	<1%	<1%		<1%
	Percent Female						38%	Percent Male						62%	

Total White	72	18%
Total African-American	194	49%
Total Hispanic	126	32%
Total Asian	2	<1%
Total American Indian	2	<1%
Total Unknown Race	2	<1%
Total Unknown Race & Sex	-	<1%
Total	398	

Chlamydia & Gonorrhea Cases by Residence County

Jan - Dec 2000

County	Chlamydia		Gonorrhea		County	Chlamydia		Gonorrhea	
	Cases	Rate 2000	Cases	Jan - Dec 2000		Cases	Rate 2000	Cases	Rate 2000
Anderson	119	227.2	42	80.2	Donley	13	368.8	8	227.0
Andrews	29	185.2	6	38.3	Duval	33	222.8	2	13.5
Angelina	211	283.2	121	162.4	Eastland	14	80.2	6	34.4
Aransas	51	258.1	17	86.0	Ector	474	365.6	175	135.0
Archer	6	72.0	-	0.0	Edwards	1	39.6	-	0.0
Armstrong	2	101.6	1	50.8	Ellis	2,226	287.2	209	27.0
Atascosa	68	180.7	15	39.9	EIPASO	249	202.7	139	113.1
Austin	22	105.7	14	67.3	Erath	71	227.1	6	19.2
Bailey	29	385.8	9	119.7	Falls	158	836.5	66	349.4
Bandera	11	76.9	-	0.0	Fannin	73	282.8	41	158.8
Bastrop	115	207.3	68	122.5	Fayette	37	181.9	11	54.1
Baylor	8	195.8	3	73.4	Fisher	9	194.4	3	64.8
Bee	112	379.8	30	101.7	Floyd	37	418.0	6	67.8
Bell	2,026	945.6	835	389.7	Foard	-	0.0	-	0.0
Bexar	5,880	426.6	2,301	166.9	Fort Bend	519	155.9	208	62.5
Blanco	7	94.5	3	40.5	Franklin	12	147.3	2	24.5
Borden	-	0.0	-	0.0	Freestone	34	200.1	8	47.1
Bosque	25	153.8	3	18.5	Frio	43	258.6	6	36.1
Bowie	462	543.2	360	423.3	Gaines	33	219.2	7	46.5
Brazoria	398	176.6	102	45.3	Galveston	857	364.7	533	226.8
Brazos	578	474.2	280	229.7	Garza	12	225.5	2	37.6
Brewster	30	270.3	1	9.0	Gillespie	15	74.9	3	15.0
Briscoe	1	52.5	-	0.0	Glasscock	2	123.7	-	0.0
Brooks	34	376.7	9	99.7	Goliad	8	122.1	1	15.3
Brown	56	164.9	12	35.3	Gonzales	85	464.9	48	262.5
Burleson	37	238.8	23	148.5	Gray	56	249.8	31	138.3
Burnet	60	211.0	11	38.7	Grayson	307	315.4	130	133.6
Caldwell	81	248.4	16	49.1	Gregg	423	390.5	196	180.9
Calhoun	61	302.1	9	44.6	Grimes	79	340.6	47	202.6
Callahan	15	126.1	5	42.0	Guadalupe	101	116.6	70	80.8
Cameron	1,121	333.3	120	35.7	Hale	174	495.0	51	145.1
Camp	26	240.8	12	111.1	Hall	7	190.5	2	54.4
Carson	4	62.4	2	31.2	Hamilton	10	137.3	-	0.0
Cass	89	298.2	43	144.1	Hansford	10	171.0	1	17.1
Castro	34	352.7	6	62.2	Hardeman	4	80.3	1	20.1
Chambers	34	162.7	2	9.6	Hardin	122	286.1	43	100.8
Cherokee	149	338.8	57	129.6	Harris	12,218	368.0	5,917	178.2
Childress	23	337.4	9	132.0	Harrison	138	216.2	100	156.6
Clay	9	90.7	4	40.3	Hartley	-	0.0	-	0.0
Cochran	5	102.6	4	82.1	Haskell	6	91.9	3	45.9
Coke	90	2627.0	22	642.1	Hays	448	495.0	101	111.6
Coleman	11	119.8	3	32.7	Hemphill	4	109.4	-	0.0
Collin	643	149.2	238	55.2	Henderson	104	135.4	41	53.4
Collingsworth	2	59.3	1	29.6	Hidalgo	1,527	279.3	100	18.3
Colorado	30	165.5	11	60.7	Hill	89	307.1	33	113.9
Comal	83	108.5	29	37.9	Hockley	91	370.1	51	207.4
Comanche	25	189.8	2	15.2	Hood	19	44.1	5	11.6
Concho	3	90.1	-	0.0	Hopkins	49	164.8	10	33.6
Cooke	70	215.4	26	80.0	Houston	43	190.5	11	48.7
Coryell	129	165.8	49	63.0	Howard	69	216.8	14	44.0
Cottle	1	47.1	1	47.1	Hudspeth	6	176.8	1	29.5
Crane	3	57.7	-	0.0	Hunt	223	304.2	139	189.6
Crockett	11	253.9	2	46.2	Hutchinson	49	197.5	14	56.4
Crosby	34	444.3	18	235.2	Irion	2	114.4	1	57.2
Culberson	11	263.3	-	0.0	Jack	6	87.9	1	14.7
Dallam	14	254.6	4	72.7	Jackson	31	235.1	5	37.9
Dallas	9,979	451.9	7,317	331.4	Jasper	125	393.4	91	286.4
Dawson	82	499.9	22	134.1	Jeff Davis	4	181.7	-	0.0
Deaf Smith	80	394.0	27	133.0	Jefferson	1,044	444.1	957	407.0
Delta	90	444.1	6	29.6	Jim Hogg	5	77.8	1	15.6
Denton	3	61.9	2	41.3	Jim Wells	135	337.2	16	40.0
DeWitt	686	164.2	238	57.0	Johnson	193	138.9	69	49.7
Dickens	4	162.9	1	40.7	Jones	27	142.6	11	58.1
Dimmit	22	194.3	4	35.3	Karnes	30	190.4	4	25.4

Chlamydia & Gonorrhea Cases by Residence County

Jan - Dec 2000

County	Chlamydia		Gonorrhea		County	Chlamydia		Gonorrhea	
	Cases	Rate 2000	Cases	Jan - Dec 2000		Cases	Rate 2000	Cases	Rate 2000
Kaufman	163	224.4	95	130.8	Real	3	118.8	2	79.2
Kendall	13	66.9	2	10.3	Red River	26	189.2	17	123.7
Kenedy	-	-	-	-	Reeves	44	256.2	7	40.8
Kent	3	302.7	-	-	Refugio	6	73.4	4	48.9
Kerr	52	122.3	4	9.4	Roberts	-	-	-	-
Kimble	3	72.9	2	48.6	Roberts on	51	297.3	53	309.0
King	-	-	-	-	Rockwall	26	63.1	8	19.4
Kinney	3	89.3	-	-	Runnels	19	166.3	12	105.0
Kleberg	160	493.3	28	86.3	Rusk	95	206.0	23	49.9
Knox	4	84.6	1	21.2	Sabine	20	195.3	4	39.1
Lamar	14	216.3	1	15.5	San Augustine	34	427.5	18	226.3
Lamb	144	328.6	83	189.4	San Jacinto	11	51.7	15	70.5
Lampas as	54	369.4	20	136.8	San Patricio	148	214.6	56	81.2
LaSalle	28	191.7	6	41.1	San Saba	19	349.5	-	-
Lavaca	51	283.8	23	128.0	Schleicher	6	182.1	-	-
Lee	25	167.1	10	66.8	Scurry	84	435.5	28	145.2
Leon	16	100.5	10	62.8	Shackelford	1	31.7	-	-
Liberty	117	193.7	45	74.5	Shelby	39	178.8	15	68.8
Limestone	61	280.1	37	169.9	Sherman	3	101.7	-	-
Lipscomb	2	65.4	1	32.7	Smith	707	415.8	408	240.0
Live Oak	18	178.7	1	9.9	Somervell	5	76.8	1	15.4
Llano	16	128.2	4	32.0	Starr	93	144.0	5	7.7
Loving	-	-	-	-	Stephens	15	166.4	6	66.6
Lubbock	1,343	590.4	744	327.1	Sterling	2	130.2	-	-
Lynn	15	218.5	2	29.1	Stonewall	1	51.7	1	51.7
McCulloch	31	257.6	11	91.4	Sutton	4	88.0	3	66.0
McLennan	22	211.3	9	86.4	Swisher	31	361.7	7	81.7
McMullen	9	164.5	4	73.1	Tarrant	4,215	272.8	2,785	180.2
Madison	3	91.7	3	91.7	Taylor	478	383.4	227	182.1
Marion	103	266.9	28	72.6	Terrell	1	65.4	-	-
Martin	111	245.8	5	11.1	Terry	77	556.8	42	303.7
Mason	24	270.5	3	33.8	Throckmorton	2	111.4	-	-
Matagorda	1,102	570.2	696	360.1	Titus	72	282.6	9	35.3
Maverick	2	230.7	-	-	Tom Green	549	492.0	122	109.3
Medina	80	230.6	10	28.8	Travis	3,120	476.9	1,531	234.0
Menard	7	306.3	1	43.8	Trinity	14	108.6	12	93.1
Midland	408	313.2	141	108.2	Tyler	35	179.4	9	46.1
Milam	105	450.6	49	210.3	Upshur	53	158.1	23	68.6
Mills	3	67.4	-	-	Upton	11	226.4	-	-
Mitchell	17	186.7	1	11.0	Uvalde	94	358.2	12	45.7
Montague	12	75.3	3	18.8	Val Verde	89	199.0	15	33.5
Montgomery	380	157.4	155	64.2	Van Zandt	32	73.8	10	23.1
Moore	66	345.8	2	10.5	Victoria	418	514.4	85	104.6
Morris	21	164.1	12	93.8	Walker	228	432.2	100	189.6
Motley	-	-	-	-	Waller	223	832.6	107	399.5
Nacogdoches	198	346.1	74	129.3	Ward	29	213.3	9	66.2
Navarro	236	533.1	121	273.3	Washington	61	206.9	50	169.6
Newton	54	370.7	29	199.1	Webb	503	267.2	38	20.2
Nolan	107	628.4	39	229.0	Wharton	129	314.3	55	134.0
Nueces	1,523	478.2	774	243.0	Wheeler	3	56.1	1	18.7
Ochiltree	9	98.9	1	11.0	Wichita	500	388.0	434	336.8
Oldham	2	90.9	2	90.9	Wilbarger	22	143.6	23	150.1
Orange	205	250.2	79	96.4	Willacy	71	352.4	12	59.6
Palo Pinto	65	240.3	22	81.3	Williams on	387	172.0	128	56.9
Panola	59	247.0	26	108.9	Wilson	28	91.7	10	32.7
Parker	91	95.4	22	23.1	Winkler	20	220.0	2	22.0
Parmer	19	180.6	1	9.5	Wise	53	123.8	17	39.7
Pecos	60	338.3	13	73.3	Wood	25	75.1	10	30.0
Polk	76	198.8	28	73.3	Yoakum	16	168.8	4	42.2
Potter	775	712.9	410	377.2	Young	16	94.4	8	47.2
Presidio	26	298.2	4	45.9	Zapata	23	172.2	5	37.4
Rains	4	49.2	2	24.6	Zavala	30	215.7	2	14.4
Randall	187	170.4	70	63.8	State Total	68,758	338.0	32,895	161.7
Reagan	4	76.6	-	-					

Syphilis Cases by Residence County

Jan - Dec 2000

County	P & S *		Early Latent		Total**	County	P & S *		Early Latent		Total**
	Cases	Rate 2000	Cases	Rate 2000	Jan - Dec 2000		Cases	Rate 2000	Cases	Rate 2000	Jan - Dec 2000
Anderson	-	-	4	7.6	8	Donley	-	-	-	-	-
Andrews	-	-	-	-	-	Duval	-	-	-	-	6
Angelina	5	6.7	13	17.5	25	Eastland	-	-	-	-	-
Aransas	-	-	-	-	-	Ector	-	-	1	1.0	14
Archer	-	-	-	-	-	Edwards	-	-	-	-	-
Armstrong	-	-	-	-	-	Ellis	6	0.8	11	11.0	92
Atascosa	-	-	-	-	-	EIPASO	1	0.8	13	13.0	15
Austin	1	4.8	4	19.2	6	Erath	-	-	-	-	-
Bailey	-	-	-	-	-	Falls	-	-	-	-	1
Bander	-	-	-	-	-	Fannin	-	-	-	-	4
Band	1	1.8	-	-	8	Fayette	-	-	-	-	-
Baylor	-	-	-	-	-	Fisher	-	-	-	-	-
Bea	-	-	1	3.4	33	Floyd	-	-	-	-	1
Bell	3	1.4	6	2.8	18	Foard	-	-	-	-	-
Bexar	67	4.9	103	7.5	286	Fort Bend	14	4.2	52	52.0	82
Blanco	-	-	-	-	-	Franklin	-	-	1	1.0	1
Borden	-	-	-	-	-	Freestone	-	-	-	-	-
Bosque	-	-	-	-	-	Frio	-	-	-	-	1
Bowie	1	1.2	6	7.1	10	Gaines	-	-	-	-	-
Brazoria	2	0.9	13	5.8	16	Galveston	1	0.4	23	23.0	30
Brazos	2	1.6	6	4.9	14	Garza	-	-	-	-	-
Brewster	-	-	-	-	-	Gillespie	-	-	-	-	-
Briscoe	-	-	-	-	-	Glasscock	-	-	-	-	-
Brooks	-	-	-	-	-	Goliad	-	-	-	-	-
Brown	-	-	-	-	-	Gonzales	1	5.5	-	-	1
Burleson	1	6.5	1	6.5	2	Gray	-	-	4	4.0	6
Burnet	1	3.5	3	10.6	7	Grayson	-	-	2	2.0	2
Caldwell	1	3.1	-	-	1	Gregg	3	2.8	20	20.0	29
Calhoun	-	-	1	5.0	3	Grimes	-	-	2	2.0	5
Callahan	-	-	-	-	-	Guadalupe	-	-	-	-	2
Cameron	6	1.8	20	5.9	78	Hale	-	-	-	-	5
Camp	-	-	-	-	-	Hall	-	-	-	-	-
Carson	-	-	-	-	-	Hamilton	-	-	-	-	-
Cass	1	3.4	3	10.1	4	Hansford	-	-	-	-	-
Castro	-	-	-	-	-	Hardeman	-	-	-	-	-
Chambers	-	-	-	-	-	Hardin	1	2.3	-	-	1
Cherokee	2	4.5	10	22.7	16	Harris	70	2.1	135	135.0	849
Childress	-	-	-	-	-	Harrison	-	-	1	1.0	1
Clay	-	-	-	-	-	Hartley	-	-	-	-	-
Cochran	-	-	1	20.5	1	Haskell	-	-	-	-	-
Coke	-	-	-	-	-	Hays	2	2.2	1	1.0	8
Coleman	-	-	-	-	-	Hemphill	-	-	-	-	-
Collin	6	1.4	14	3.2	26	Henderson	-	-	3	3.0	3
Collingsworth	-	-	-	-	-	Hidalgo	5	0.9	31	31.0	92
Colorado	-	-	1	5.5	1	Hill	-	-	2	2.0	2
Comal	-	-	-	-	-	Hockley	-	-	-	-	-
Comanche	-	-	-	-	-	Hood	-	-	-	-	-
Concho	-	-	-	-	-	Hopkins	-	-	-	-	2
Cooke	-	-	-	-	-	Houston	-	-	2	2.0	5
Coryell	-	-	5	6.4	22	Howard	-	-	-	-	48
Cottle	-	-	-	-	-	Huds peth	-	-	-	-	5
Crane	-	-	-	-	-	Hunt	-	-	2	2.0	6
Crockett	-	-	-	-	-	Hutchins on	-	-	-	-	-
Crosby	-	-	-	-	-	Irion	-	-	-	-	-
Culberson	-	-	-	-	-	Jack	-	-	-	-	11
Dallam	-	-	-	-	-	Jackson	2	15.2	1	1.0	3
Dallas	100	4.5	361	16.3	588	Jasper	-	-	2	2.0	3
Dawson	-	-	-	-	-	Jeff Davis	-	-	-	-	2
Deaf Smith	-	-	-	-	-	Jefferson	14	6.0	21	21.0	63
Delta	-	-	-	-	-	Jim Hogg	-	-	-	-	-
Denton	-	-	-	-	-	Jim Wells	-	-	-	-	1
DeWitt	4	1.0	6	1.4	14	Johnson	2	1.4	1	1.0	7
Dickens	-	-	-	-	-	Jones	-	-	-	-	4
Dimmit	-	-	-	-	-	Karnes	-	-	-	-	-

*P & S = Primary and Secondary Syphilis

**Total Syphilis includes all stages of syphilis including congenital syphilis

Syphilis Cases by Residence County

Jan - Dec 2000

County	P & S *		Early Latent		Total**	County	P & S *		Early Latent		Total**
	Cases	Rate 2000	Cases	Rate 2000	Jan - Dec 2000		Cases	Rate 2000	Cases	Rate 2000	Jan - Dec 2000
Kaufman	5	6.9	6	8.3	20	Real	-	-	-	-	-
Kendall	-	-	-	-	-	Red River	-	-	-	-	1
Kenedy	-	-	-	-	-	Reeves	-	-	-	-	40
Kent	-	-	-	-	-	Refugio	-	-	-	-	-
Kerr	-	-	-	-	2	Roberts	-	-	-	-	-
Kimble	-	-	-	-	-	Roberts on	-	-	-	-	-
King	-	-	-	-	-	Rockwall	-	-	-	-	-
Kinney	-	-	-	-	-	Runnels	-	-	-	-	1
Kleberg	-	-	-	-	-	Rusk	1	2.2	3	6.5	8
Knox	-	-	-	-	-	Sabine	-	-	-	-	-
La Salle	-	-	-	-	1	San August	-	-	-	-	-
Lamar	1	2.3	1	2.3	3	San Jacint	-	-	-	-	1
Lamb	-	-	2	13.7	2	San Patric	-	-	-	-	-
Lampasas	-	-	-	-	-	San Saba	-	-	-	-	-
Lavaca	-	-	1	5.6	1	Schleicher	-	-	-	-	-
Lee	-	-	-	-	-	Scurry	-	-	-	-	-
Leon	-	-	-	-	-	Shackelfor	-	-	-	-	-
Liberty	1	1.7	12	19.9	23	Shelby	-	-	-	-	4
Limestone	-	-	-	-	2	Sherman	-	-	-	-	-
Lipscomb	-	-	-	-	-	Smith	2	1.2	22	12.9	27
Live Oak	-	-	1	9.9	5	Somervell	-	-	-	-	-
Llano	-	-	-	-	-	Starr	1	1.5	1	1.5	4
Loving	-	-	-	-	-	Stephens	-	-	-	-	-
Lubbock	2	0.9	1	0.4	8	Sterling	-	-	-	-	-
Lynn	-	-	-	-	-	Stonewall	-	-	-	-	-
Madison	-	-	-	-	-	Sutton	-	-	-	-	-
Marion	1	9.6	2	19.2	3	Swisher	-	-	-	-	-
Martin	-	-	-	-	-	Tarrant	22	1.4	80	5.2	192
Mason	-	-	-	-	-	Taylor	1	0.8	1	0.8	2
Matagorda	5	13.0	14	36.3	29	Terrell	1	65.4	-	-	2
Maverick	-	-	-	-	-	Terry	-	-	-	-	-
McCulloch	-	-	-	-	-	Throckmort	-	-	-	-	-
McLennan	1	0.5	6	3.1	17	Titus	-	-	-	-	1
McMullen	-	-	-	-	-	Tom Green	-	-	-	-	3
Medina	1	2.9	-	-	3	Travis	8	1.2	27	4.1	59
Menard	-	-	-	-	-	Trinity	-	-	12	93.1	13
Midland	-	-	-	-	4	Tyler	-	-	-	-	2
Milam	-	-	1	4.3	4	Upshur	-	-	-	-	-
Mills	-	-	-	-	-	Upton	-	-	-	-	-
Mitchell	-	-	-	-	-	Uvalde	-	-	-	-	-
Montague	-	-	-	-	-	Val Verde	-	-	-	-	1
Montgomery	1	0.4	10	4.1	19	Van Zandt	1	2.3	-	-	1
Moore	-	-	-	-	-	Victoria	3	3.7	3	3.7	10
Morris	1	7.8	-	-	1	Walker	-	-	6	11.4	14
Motley	-	-	-	-	-	Waller	2	7.5	1	3.7	5
Nacogdoche	-	-	5	8.7	11	Ward	-	-	-	-	-
Navarro	-	-	4	9.0	5	Washington	-	-	2	6.8	2
Newton	-	-	-	-	-	Webb	1	0.5	14	7.4	48
Nolan	-	-	-	-	-	Wharton	2	4.9	5	12.2	14
Nueces	1	0.3	3	0.9	10	Wheeler	-	-	-	-	-
Ochiltree	-	-	-	-	-	Wichita	3	2.3	3	2.3	15
Oldham	-	-	-	-	-	Wilbarger	-	-	-	-	5
Orange	1	1.2	5	6.1	8	Willacy	-	-	-	-	1
Palo Pinto	-	-	-	-	-	Williams on	1	0.4	-	-	5
Panola	-	-	-	-	-	Wilson	1	3.3	1	3.3	2
Parker	1	1.0	-	-	2	Winkler	-	-	-	-	-
Parmer	-	-	2	19.0	2	Wise	-	-	-	-	1
Pecos	-	-	-	-	-	Wood	-	-	1	3.0	6
Polk	-	-	-	-	-	Yoakum	-	-	-	-	-
Potter	-	-	4	3.7	5	Young	-	-	-	-	-
Presidio	-	-	-	-	-	Zapata	-	-	-	-	1
Rains	-	-	-	-	-	Zavala	-	-	-	-	-
Randall	-	-	-	-	-	State Total	398	-	1,175	-	3,303
Reagan	-	-	-	-	-						

*P & S = Primary and Secondary Syphilis

**Total Syphilis includes all stages of syphilis including congenital syphilis